App F IX-4

Previous References. (1939 / 1941 / 42)

File No. 145-39
Serial Nos. 3, 21 24, 25.

Later References.
Pol 190-40 (1-2)

presence
16-5-63

GENERAL AND REVENUE SECRETARIAT.

Serial Nos.

Part B for Feb. 42

SUBJECT.

Rules re. the free allowance of fuel to be changed for civil Building in Bangalore City.

25)

To,
The Comptroller.
No. L 7596 / 24-2-42
Notifies the Amendments &c: etc

To.
The Chief Engineer.
The Ind Comm. Bangalore City
L 7597-8 / 24.2.42
Forwarded copies of Sl 25.

Mess.
14/3/42

General and Revenue Secretariat. | R Q File No 145 of 1939. | [App. F III-2

Serial No.

3 From the Chief Engineer
No 6686 dated 2-12-39
Solicits orders on certain points in regard to the supply of water to Govt buildings in Bangalore city

1) In Rf-O No X 1447-9/ M1 158-35-6 dated 3-8-39, orders were issued for regulating the supply of water to Govt buildings in Bangalore city and in Notification No X 2153/ M1 105-34-9 dated 26-8-39, rules were issued for regulating water supply in Bangalore city which are applicable to Govt buildings also and in the preamble of this notification, it had been directed that the new rules are in supersession of the existing rules

2) The Executive Engineer solicits orders on the following points:-

i) whether the order of 3-8-39 has to be considered as having been superseded by the Notification of 26-8-39.

ii) ~~By~~ whether the free allowance of water has to be calculated as per G O of 3-8-39 or as per new rules of 26-8-3

3) Though rules 45, 78, 79, 81, 82 & 83 of the revised rules deal with the

Norm-Contn Sheet.

Re Rules regarding the free allowance & rates to be charged for Govt Buildings

M.L. File No. of 1939-40 — General and Revenue Secretariat.

Serial No

regulation of water to flush buildings of various kinds, the G.O. of 3-8-39 cannot be considered to have been superseded in all respects, as it is it may be construed to full sixteen the provisions of Rule 78 thereby ~~exceptions~~ It would seem simple if the G.O of 3-8-39 is modified, suitably so that the rates for flush ~~residential~~ domestic buildings may be as in the case of any other private residential building and that in other respects, the original G.O will stand.

4) The Chief Engineer may be consulted as to whether the above modification would make the point clear or whether he would suggest any further amendments to the rules.

Perm 3/1/40 5) A draft G.O is submitted accordingly for consideration.

6) The proposed draft G.O is framed so as to meet all the points raised by the C.E. Engineer. If approved, the Chief Engineer will be Consulted Unofficially. If the G.O is abridged & does all the doubts raised in his letter, it could be issued

Law Secy) 3/16/1

Hon 2 26/1/40

SECY LAW DE 5025 15 JAN 19.. GOVT OF MYSORE

Serial No.

1) Forwarded with Compliments to the Chief Engineer for favour of remarks with reference to para 6.

By order,
Secretary to Government
Law Department

W.O. 980 of 13.5.40

Returned, with compliments.

2. Now that the revised rules for regulation of water supply in Bangalore City have been issued in Notification No.L.2153/M1.105-34-9 dated 26th August 1939 subsequent to the issue of G.O.No.L.1447-9/M1 158-35-6 dated 3rd August 1939, the Executive Engineer, Water Supply Division, suggests that the modifications proposed in respect of water supply to Government buildings, may be incorporated in the revised rules, so as to make the revised rules complete and comprehensive, and to cover the rules governing the Government buildings also. A copy of the Executive Engineer's letter No.910 dated 29th March 1940 suggesting the modifications to be incorporated in the revised rules is also enclosed.

3. The draft Government Order proposed to be issued may be suitably revised, in the light of the Executive Engineer's suggestions, and issued, and amendments to the revised rules also issued simultaneously.

Secretary to Government,
Law Department.

SECY LAW DEPT
13 MAY 1940

3142

L Supplying water to ground floor buildings in B'lore city

File No. 165 of 1939 — General and Revenue Secretariat.

Serial No

Submitted for orders, of the portions marked in red ink on the letter No 910 dt 29 3 40 from the Exe Engr, Water Supply Division B'lore to the Ch Engr may be substituted for items 1 to 3 of para 2 of the Opt Sec in this file. Re: Hostels separate action is being taken in another file.

S.
7/6/40

(1) Issue up a Draft Notification calling for objections if any, for the proposed amendments to the Rules as suggested by the Executive Engineer in his letter dated 29 3 40, which are quite suitable

Sd
8/6/40

(2) Opt Note submitted for approval

Sd
11.6.40

Joint Secy)

Sd
30/5/40

(3) May be issued.

Dewan

Hm
2
2-7-40

Sd
2/7

To the Comptroller Mysore Gaz
L223/ dated 6 7 40
Notifying the amendments called for objections.

L 224 copy to Chief Engr B'lore

SECY LAW DEPT
1 JULY 1940
GOVT OF MYSORE

TYPING SECTION
4 JULY 1940
GEN & REVENUE SECTT

Sub A

3142 / 1286 (3)

General and Revenue Secretariat — File No 145 of 1939 — [App F III-2

Serial No.

From the Mil Commr. Deccan Area Poona No 2 Gio A3-264/40-41 Dt 29-8-40. States that amendments 1, 3 & 4 may be adopted & that the flat allowance of water, as proposed in item No 2 should be based on the rental Value.

Proposal (4) is subd for perusal & orders

No other objections have been received

(5) The Mil el Bangalore has suggested that the charge for supply of water to the residential buildings like Police Lines, Nurses Quarters etc, should be based on the rental Value.

(7) A draft notfn is however sent for appl or orders.

16/12

This file had been sent to the Mil Secy relating to the amendments to the Water Supply Rules in Poona

(1) In G O No Z 1447-9/ -6 dated 3 8 1939, orders were issued for regulating the water supply to the Govt buildings. But as the rules were issued on 2 6 Aug 1933 the said G.O was superseded

The Chief Engr has accordingly made proposals for revising the G. O. dated 3 8 39 so as to be

NOTE—Contn. Sheet.

1206 940

Fil No | of 194 | General and Revenue Secretariat.

Serial No.

in conformity with the rules issued on the subject.

In this connection, I am to refer to letter No 910 dated 29.3.1940 from the Executive Engr, Water Supply Division to the Chief Engr, wherein it is clearly explained how the several classes of buildings referred to in the order dated 3.8.39 may have been, or might be brought under the rules issued by the Govt. In the light of the information furnished therein, it is not necessary to amend the G.O dated 3.8.39. as, except the buildings brought under class I, class II B 2 class III, III B & IV B, all others have been already included in the rules issued on 26.8.39 Re Hospitals, a revised rule has already been issued.

In order to bring the above buildings under the purview of the rules, the existing rules 52, 45 & 83 are proposed to be amended as shown in the draft notification. This will meet the requirements of the case

Rules re the free allowance of the rate to be charged for Govt buildings — 3988/L (4)

General and Revenue Secretariat | File No. 1206 Q 40 / 2 of 194 | [App F III-2

Serial No

1) This proposal for amending the rules has been approved by the Minister-in-charge and also

2) The draft notn will, if approved be sent to the Chief Engr for final scrutiny & approval, before that

Law Secy 7/1/42

SECY LAW DEPT 3 JAN 42 GOVT OF MYSORE

24) Hm 2 8/1/42

Clo. 323 of 9-1-42 3) Forwarded with compliments unofficially to the Chief Engineer in response to favor of yours on the draft notification in question and early return.

By order
Ramachandran
Secy to Govt
Law Dept
8/1/42

1234 OFFICE OF THE CHIEF ENGINEER OF MYSORE REGD NO 327 DATE 10-1-42

VSR 12/1/42

Cno. Ref. No: 509/42 9-2-1942 4) Returned, with compliments.

2. The draft Notification is seen to be alright and may issue. In view of the alterations contained therein, rule 78 seems to be unnecessary and may be deleted.

SECY L & D DEPT 9 JAN 42 GOVT OF MYSORE

7/2/42

NOTE—Cont. Sheet.

Secretary to Government,
Law Department.

Hm 10-2-42

Bangalore—G.P.Press—55,000—28-10-41

Revision of the Water Supply Rules
Bangalore

File No. 145 of 1939-40

General and Revenue Secretariat

Serial No.

The Chief Engineer considers that the draft notification is suitable, but he suggests that rule 78 (existing) may be deleted. The draft notification may be approved.

It may however be submitted that rule 78 is a comprehensive and enabling one and gives power to levy excess water charges on public institutions which may not have been included already in the rules, such as St.Marthas Hospital and Asaktha Poshaka Sabha. There is no harm in retaining it. It may therefore be allowed to stand.

Law Secretary

10/2/42

SECY LAW DEPT 12 FEB 1942 GOVT OF MYSORE

May be approved

Minister (L S G)

Hm 14 2 42

OFFICE OF THE MINISTER FOR L.S.G & P.H. Date 17.2.42 No.

17 2 42

Hm 18/2/42

17/2/42

1 FEB 1942

To the Compiler Bangalore Gazette
No L 7596-8 24-2-42
No objection to the amendments

3142

No 6186
Encls None

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore 2nd ~~November~~ December *19* 39.

Ml 148-39-3

FROM

The Chief Engineer of Mysore,
BANGALORE

To

The Secretary to Government,

Law Department, Bangalore

Subject - Rules regarding the free allowance and rates to be charged for Government buildings in Bangalore City.

Sir,

Adverting to Government Order No L 2153/Ml 105-34-9 d the 26th August 1939, issuing the revised rules for the regulation of water supply in Bangalore City, I have the honor to forward herewith, for favour of orders, a copy of letter No 487 dated the 7th -- November 1939, received from the Executive Engineer, Water Supply - Division, raising certain points of doubt in giving effect to the -- Government Orders No L.1447-9/Ml 158-35-6 dated the 3rd August 1939 and No L.2153/Ml 105-34-9 dated the 26th August 1939, in respect of water supply to Government Buildings and Public Institutions.

I have the honour to be,

S i r,

Your most obedient servant,

for Chief Engineer of Mysore

HRR 2/30th

Letter No 487 dated the 7th November 1939, from the Executive Engineer, Water Supply Division, to the Chief Engineer of -- Mysore, Bangalore

---

Subject - Rules regarding free allowances and rates to be charged for Government Buildings, etc.

I have the honour to state that G O No.L 1447-9/Ml.158- dated 3rd August 1939, fixes in detail, the method to be adopted claiming water charges for all Government and Public Institutic

According to this order, the buildings come under 6 heads

(i) Government Residential - to be treated as ordinary resident buildings (Statement III and IV)

(ii) Government Non-domestic - to be treated as other private no domestic supplies (Statement I & II)

(iii) Government domestic with free allowance according to total -- rental value, not limited by the maximum limit usually fixed to other buildings, such as Police lines, etc , (Statement V(

N B - Rate for excess water charges not fixed in the order)

(iv) Buildings for which free allowances have to be calculated according to the inmates without a maximum limit, the rate be charged for at Re 1/-, (Statement IX Central Jail).

(v) Buildings with free allowance according to the number of inmates, but with maximum as fixed (Statement X Hotels).

(vi) Other buildings with no free allowances and all water being charged at 0-8-0 per 1000 gallons (Statement VI, VII and VII

Government Order No L 2153/Ml 105-34-9 dated 26-8-1939 was subsequently issued In the preamble of this order it is stated that the order is in supersession of the existing orders and if -- this is taken as subh, the order regarding the Government buildings must also be regarded as having been superseded

In this Order Paras 45 and 79 fix the free allowances accessible to Government residential and domestic connections in general

Para 78 deals with all the Public Institutions and mestic generally that the free allowace is to be decided by the Departm

without specifying on what basis

Para 83 fixes the rate for excess water charges at Re.1/- per 1000 gallons Para 81 deals with the Jail buildings and is the same as the previous order. But, para 82 which deals with hostels does not fix the maximum limit found in statement "X" of the previous order

Nothing is mentioned definitely about the other class of buildings for which no free allowances were given as per previous Government Order, but the excess water were proposed to be charged t 0-8-0 per 1000 gallons

In view of the above, kind instructions are sollcited in the tter as to how far the new order modifies the special Government Order passed on the 3rd August 1939, in the case of Government -- ldings

---

"C o p y."

For Chief Engineer of Mysore

HRR/30th

Letter No.910 dated 29th March 1940, from the Executive Engineer, Water Supply Division, Bangalore, to the Chief Engineer of Mysore, Bangalore.

Rules regarding free allowance and rates to be charged for Government buildings etc., in Bangalore City.

With reference to your letter No.11583 dated 12th March 1940 calling for a report on the draft order of Government, proposed to be issued to clarify the points raised in this office letter No.487 dated 7-11-1939, I have the honour to request that the draft order may be revised in the light of the modifications proposed below to the existing paras of the revised rules in order to make the rules for the regulation of water supply in Bangalore City sanctioned in G.O.No.L.2153-Ml. 105-34-9 dated 26-8-1939 comprehensive so as to include the rules relating to water charge recovered from Government Buildings sanctioned in G.O.No.L.1447-9 Ml.158-36-6 dated 3-8-1939.

CLASS 1 GOVERNMENT BUILDINGS TREATED AS NON-DOMESTIC.

This may be brought under Para 52 in the revised rules by adding a sub-para as follows:-

"The same rates apply to Government Industrial and commercial concerns also"

CLASS 11. (A) GOVERNMENT BUILDINGS - DOMESTIC.

This has already been included under para 45 of the revise rules.

CLASS 11 (B) GOVERNMENT RESIDENTIAL BUILDINGS LIKE POLICE LINES E

This may be included under the above para 45 by continuing the existing sub para as follows:-

" But in the case of Government residential buildings like Police Lines, Nurses' quarters etc., the free allowance fixed is without restriction to the maximum limit"

CLASS 111, CLASS 111 (B) and CLASS 1V.

These have already been incorporated in the revised rules vide para 83: but the rate of 0-8-0 fixed in G.O. dated 3-8-1939 has been raised to Re.1/- in the revised rules and it is therefor suggested that para 83 may be modified so as to have a uniform

rate of 0-8-0 as under ·

"In the case of Government Public Buildings and institutions in which Government Offices are held and which are not run on commercial or business or trade lines, the entire water consumed shall be charged for at 0-8-0 per 1000 gallons without allowing any free allowance as the buildings are used solely for public purposes "

CLASS 1V CENTRAL JAIL

Rules regarding this have been incorporated in para 81 of the revised rules, no action is therefore required in this case.

CLASS V HOSTELS

Though para 82 in the revised rules treats with this class of buildings, the rules are not complete in themselves and hence are modified as under .

"The free allowance of water in the case of hostels or boarding schools, Government or aided or private, whether with paying embers of free boarders, shall be at 12½ gallons per head per day. Department shall get the statistics once every quarter before the 10th of the month".

Thus it will be seen that all the classes of buildings dealt with separately in the Government Order Ms dated 3-8-1939 have now been brought appropriately under the corresponding paras of the revised rules with necessary modifications as proposed supra in order that the revised rules may be complete in themselves.

The draft proposed by Government received with the above reference is herewith resubmitted

---

"Copy"

Harkhata
11/5

For Chief Engineer of Mysore

TSRN.

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

No L.2227/Mul 145-39-4 General and Revenue Secretariat,

Dated Bangalore 6 E July 1939.

NOTIFICATION

The following draft amendments which are proposed to be made by Government in the Revised Rules regulating the supply of water in Bangalore City issued with Notification No.L.2158/ Mu.105-34-9 dated 26th August 1939, in exercise of the powers vested in them under section 228 of the Mysore City Municipality Act, 1933, as amended from time to time, are published under Sub-section (4) of the said section for the information of all persons interested. Any objections or suggestions may be preferred within a fortnight from the date of publication of this notification in the Mysore Gazette after which they will not be taken into consideration by Government:-

I. The following will be added as Sub para to rule 82:-

"The same rates shall apply to Government Indu and Commercial concerns also."

II. The following will be added at the end of Rule 45:

"But in the case of Government residential buildi like Police Lines, Durbar quarters etc., the free allowance fixed is without restriction to the qu limit."

III. Rule 83 will be modified as follows:-

"In the case of Government public buildings and institutions in which Government offices are held and which are not run on commercial or business or trade lines, the entire water consumed shall be charged at 8 as. per 1000 gallons without any free allowance, as the buildings are used solely for public purposes."

IV.

IV. Rule 88 will be modified as hereunder:-

"The free allowance of water in the case of hostels or boarding schools, Government or aided or private, whether with paying members or free boarders, shall be at 150 gallons per head per day. The Department shall get the statistics once in every quarter before the 10th of the month."

Separate withdrawal of water A ... authority

By Order.

for Secretary to Government,
L. - Law Department.

To--The Compiler, Kyarra Gazette, for publication and supply of 50 spare copies each to the Secretariat, the Chief Engineer of Kyarra and the Municipal Commissioner, Kamalore City.

TTD-1K)

Appendix F G—1]

SUBJECT

Section Rf

File No Ht S - 39

Serial No 21

Diary No of letter replied to

No L 223

To Mobs

General and Revenue Secretariat

( )

the *19*

Date of issue 6th July 1940

Signed by Mr TR

The following draft amendments which are proposed to be made by Govt in the Revised Rules regulating the supply of water in B'lore city issued with Notfn No L 2153/Ml 105-38-9 dated 26 8 39, in exercise of the powers vested in them under Section 228 of the Mysore city Municipalities Act, 1933, as amended from time to time, are published under Sub Section (bb) of the said Section for the information of all persons interested. Any objections or suggestions must be preferred within a fortnight from the date of the publication of this

List of enclosures

Copied by

Examined by

Notification in the Mysore gazette after which they will not be taken into consideration by Govt

I. The following will be added as sub para to rule 52

"The same rates shall apply to Govt industrial and commercial concerns also"

II The following will be added at the end of Rule 45

"But in the case of Govt residential buildings like Police lines, Nurses quarters etc, the free allowance fixed is without restriction to the maximum limit"

III Rule 83 will be modified as follows:—

"In the case of Govt public buildings and institutions in which Govt offices are held & which are not run on commercial or business or trade lines, the entire water consumed shall be charged at 8as per 1000 gallons without allowing any free allowance, as the buildings are used solely for public purposes"

G R S App F G 3

GENERAL AND REVENUE SECRETARIAT

(*Continuation sheet draft form*

Cr Rule 82 will be modified as hereunder: —

"The free allowance of water in the case of hostels or boarding schools, Govt or aided or private, whether they be paying members or free boarders, shall be at 12 1/2 gallons per head per day. The department shall get the statistics once every quarter before the 10th of the month"

BO

Hon
2/7/40

Secretary to Govt
Law Dept

To the compiler, Mysore Gazette for publication and 50 copies each to the Secrett, the Ch Engr and the Pol Comr, Bangalore city

Memo. 2814/ml dt 6-7-1940

Copy to the Pol Comr, Bangalore city for information and furnishing the opinion of the Govt Pleader on the proposed date

BO,

for Secy Law dept

WD 0186—GPB—15 000 -6 9 34

BANGALORE CITY MUNICIPALITY

/286/

B. No. No.A1.264/40-41.

Encl. Two.

MUNICIPAL OFFICES

Bangalore, 29th. Aug. 1940

ML 145-39-24.

From

S NARAYANA RAO. ESQ., M A (HONS.)
MUNICIPAL COMMISSIONER.
BANGALORE CITY

To



H. V. Narayana Rao Esqr. B.A., L.L.B.
SECRETARY TO THE GOVERNMENT
OF HIS HIGHNESS THE MAHARAJA OF MYSORE,
LAW DEPARTMENT, BANGALORE.

SIR,

With reference to your Memo No.L.224 dated the 6th July 1940, calling for the opinion of this Municipal Council on the amendments proposed to be made in the revised rules for regulating the supply of water in Bangalore City, I have the honour to state that the matter was considered by the Managing Committee at their meeting held on 29-7-1940. They opined that items Nos. 1, 3, and 4 of the proposed amendments might be accepted and that the free allowance of water, as proposed in item No. 2, should be based on rental value.

The opinion of the Managing Committee was approved by the Council at their meeting held on 23-8-1940.

Copies of the resolutions of the Managing Committee and the Council are herewith submitted for kind information.

Forwarded with compliments.

Hon. President.

I have the honour to be,
Sir,
Your most obedient servant.

Municipal Commissioner.
(In charge)

CAR/

BANGALORE CITY MUNICIPALITY.

Proceedings of the Meeting of Council dated 23.8.1940.

SUBJECT: 35. Opinion of the Managing Committee dated 29.7.1940 in the matter of the proposed amendments to the Revised Rules regulating water Supply in Bangalore City

Mr T L Gangoji Rao moved & Mr B S Sankarappa Setty seconded

RESOLUTION. Approved.

Sd/- M. Royan.
Hon. President.

C o p y .

Municipal Commissioner.

uar/

BANGALORE CITY MUNICIPALITY.

Proceedings of the Managing Committee Meeting dated 29.7.1940

SUBJECT 14. Council Resolution dated 28.7.1940 referring the proposed amendments to the Revised Rules regulating Water Supply in Bangalore City, as notified in G.Not. No.L.223/Ml.145-39-21 of 6.7.1940 to the Managing Committee.

No. 1. 3. and 4 may be accepted.
No. 2. The free supply of water should be based on rental value.

Sd/- M. Royan.
Hon. President.

C o p y .

Municipal Commissioner

aar/

534

BANGALORE CITY MUNICIPALITY

No. Al. 788/39.

MUNICIPAL OFFICES

Bangalore, 24th July 1940



From

S NARAYANA RAO, ESQ., M A (HONS)
MUNICIPAL COMMISSIONER,
BANGALORE CITY

To

H V. Narayana Rao, Esq , B.A., LL B.,
SECRETARY TO THE GOVERNMENT
OF HIS HIGHNESS THE MAHARAJA OF MYSORE,
LAW DEPARTMENT, BANGALORE.

SIR,

With reference to your Memo No. L. 224 dated 6th July 1940 in the matter of furnishing the opinion of the Municipal Council on the amendments proposed to be made by Government in the -- revised rules regulating the supply of water in the Bangalore City, I have the honour to state that the matter was placed - before the Council at their meeting held on 22nd July 1940. They have referred it to the Managing Committee The opinion of the Managing Committee will be placed before the Council and their resolution in the matter submitted to Government as early as possible.

I have the honour to be,
SIR,
Your most obedient servant,

Forwarded with compliments,

Honorary President.

Municipal Commissioner.

kas/

3560
C

SEOY LAW DEPT

From

The Chief Engineer and Secretary
to the Government of Mysore,
Public Works Department

To

The Secretary to Government
Home Department
Bangalore

No 8994 dated Bangalore, 19/12/1

Subject.

Rules regarding the grant of allowance of rates to be charged by Government Buildings in Bangalore city.

Sir,

I have the honour to invite attention to the communication noted in the margin and to request the favour of an early reply thereto. ~~If delay be apprehended in the disposal of the reference in question, the probable date on which a reply to it may be expected to be received, should be intimated not later than~~

I have the honour to be,
Sir,
Your most obedient servant,

For Chief Engineer and Secretary.
Public Works Department.

Ref. No. 220, dated 12 8 1932.

Subsequent Reminder.

No 123, dated 3 7 1932.

4547
L

MYSORE P W DEPARTMENT.

CENTRAL OFFICE, BANGALORE

No. 4777 Clearance relating to [illegible] 15-3-1941

Dated the 19

To

The Secretary to Government
Law Department
Bangalore

REPLY

No

Dated the 193

To

The Chief Engineer of Mysore,
Bangalore

SUBJECT

Rules re. free allowance of water and rates to be charged for Government Buildings in Bangalore City

SIR,

I have the honour to invite attention to the communication noted in the margin and to request the favour of an early reply thereto. If delay be apprehended in the disposal of the reference in question, an adinterim reply as to the probable date of its disposal should be sent not later than orders of Government being obtained in the matter.

N 820

Date. 13-3-1940

I have the honour to be
Sir,
Your most obedient servant,

for Chief Engineer of Mysore

11-3-1941.

Previous correspondence 3996 Dt. 4-1-41.

WD 315—GPB—5000—25-11-39.

243

No 539
Encls.

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE.

Dated Bangalore, 9.7.1941

SECY LAW DEPT. 10 JULY 1941 GOVT OF MYSORE

FROM

The Chief Engineer of Mysore,
BANGALORE

GEN. & REV. SECRETARIAT, 10 JULY 1941 L.S.G. BRANCH

To

The Secretary to Government,
Law Department, Bangalore.

Subject:- Rules regarding the free allowance and rates to be charged for Government Buildings in Bangalore City.

Sir,

I have the honour to invite your reference to this office Un-official No. 880 dated the 13th May 1940 and subsequent reminders ending with No. 11777 dated the 15th March 1941 and to request you to be so good as to obtain early orders of Government in the matter.

I have the honour to be
Sir,
Your most obedient servant,

For Chief Engineer of Mysore.

A.K.

PROCEEDINGS OF THE GOVERNMENT OF
H. H. THE MAHARAJA OF MYSORE

R E A D -

Government Order No.L.1447-9/Ml. 1 35-6, dated 3rd August 1939 issuing orders for regulating the supply of water to Government buildings in Bangalore City.

2) Notification No.L.2153/Ml. 105-34- dated 26th August 1939 issuing revised rules for the regulation of water supply in Bangalore City.

3) Letter No.6686 dated 2nd December, 1939, from the Chief Engineer soliciting orders on certain points in regard to the application of the new water supply rules issued with Notification dated 26th August 1939 read above to the Government buildings in Bangalore City.

ORDER NO.L.

Bangalore, Dated

The Chief Engineer states that in the preamble of the Notification dated 26th August 1939 it has been stated that the revised rules are in supersession of all previous orders on the subject and that therefore a doubt is felt as to whether the Government Order of 3rd August 1939 has not

not also to be considered as having been superseded. He also states that though the basis for calculating the free allowance of water and the rates to be charged for excess water in respect of Government buildings have been prescribed in the Government Order of 3rd August 1939, the revised rules of 26th August 1939 direct that the rules for regulating the water supply to private buildings in Bangalore City shall be applicable to Government Residential buildings also. He therefore solicits the issue of definite orders in the matter.

2. Government consider that the revised rules for the supply of water to private residentail buildings should be made applicable to the Government residential buildings also and accordingly direct that the Government Order of 3rd August 1939 be amended as follows -

1) Class II-A. Government Residential Buildings - Domestic. The buildings of this class will be entitled to a free allowance of water calculated at 100 gallons per annum per rupee of rental value, subject to a minimum of 3,000 gallons per mensem and a maximum of 10,000 gallons per mensem, as in the case of private residential buildings, the excess water being charged at Re.1 per 1,000 gallons.

2) Class II-B. Government Residential buildings like Police lines, Nurses' Quarters, etc., Free allowance in the case of these buildings will be fixed at 100 gallons per annum per rupee of rental value without restricting the maximum free allowance The excess over the free allowance calculated on the above basis should be paid by the Head of the Institution at Re.1 per 1,000 gallons.

3) The maximum free allowance to the several Hostels mentioned in Statement X was fixed on the basis of the number of boarders that were staying then. But the free allowance should be actually calculated on the number of boarders residing in the Hostels from time to time at 12½ gallons per day per boarder.

4. In regard to other buildings mentioned in the Government Order of 3rd August 1939, the rates prescribed therein for excess water charges will stand.

Secretary to Government
Law Department

Rmrr

NDA/13-1-40.

To
The Chief Engr
The Executive
Heads of Depts
The M.C. Comr, Municipal
The Collector

PROCEEDINGS OF THE GOVERNMENT OF

H H THE MAHARAJA OF MYSORE

R e a d -

Government Order No.L 1447-9/Ml 158-35-6 dated 3rd August 1939 issuing orders for regulating the supply of water to Government -- buildings in Bangalore City

2 Notification No L 2153/Ml 105-34-9 dated 26th August 1939 issuing revised rules for the regulation of water supply in Bangalore City

3 Letter No 6686 dated 2nd December 1939, from the Chief Engineer, soliciting orders on -- certain points in regard to the application of the new water supply rules issued with Notification dated 26th August 1939 read above, to the Government buildings in Bangalore City

---

Order No.L

Dated Bangalore, the March 1940

The Chief Engineer states that in the -- preamble of the Notification dated 26th August 1939 it has been stated that the revised rules are in supersession of all previous orders on the subject and that therefore a doubt is felt as to whether the Government Order of 3rd August 1939, has not also to be considered as -- having been superseded He also states that though the basis for calculating the free - - - allowance of water and the rates to be charged for excess water in respect of Government ----- buildings have been prescribed in the Government Order of 3rd August 1939, the revised --- rules of 26th August 1939 direct that the rule-

(3)

for regulating the water supply to private -- buildings in Bangalore City shall be applica to Government Residential buildings also. He therefore solicits the issue of definite ----- orders in the matter

2 Government consider that the revised rules for the supply of water to private - - - residential buildings should be made applicable to the Government residential buildings also and accordingly direct that the Government --- Order of 3rd August 1939 be amended as follows

(1) Class II-A Government Residential Buildings - Domestic - The buildings of this class will be entitled to a free allowance of water calculated at 100 gallons per annum per rupee of rental value subject to a minimum of 3,000 gallons per mensem and a maximum of --- 10,000 gallons per mensem, as in the case of private residential buildings, the excess --- water being charged at Re 1/- per 1,000 gallons

See Separate draft

(2) Class II-B Government Residential Buildings like Police lines, Nurses' quarters, etc - Free allowance in the case of these --- buildings will be fixed at 100 gallons per -- annum per rupee of rental value without - - - restricting the maximum free allowance The excess over the free allowance calculated on the above basis should be paid by the Head of the Institution at Re 1/- per 1,000 gallons

(Hostels & Nurses Quarters)

(3) The maximum free allowance to the ---- several Hostels mentioned in Statement X was fixed on the basis of the number of boarders that were staying then But the free - - -

(4)

in the case of all hostels

free allowance should be actually calculated on the number of boarders residing in the - - Hostels from time to time at 12½ gallons per day per boarder. as per item 8a of Go. dd'

Re In the case of 3B/34

3. In regard to other buildings mentioned in Government Order of 3rd August 1939, the --- rates prescribed therein for excess water ----- charges will stand.

Secretary to Government,
Law Department

To

The Chief Engineer of Mysore.
The Comptroller of Mysore
The Heads of Departments
The Municipal Commissioner, Bangalore City
through the President

4 'Copy'
Jockbhakta
17/3

T R S.

P W. SECRTT.

Draft for Approval

No 11583

Dated 12-3-40

Enc One

From Chief Engineer Bombay

The ~~Secretary to Government~~, P W D

To The Ex Engr W/S Div

Subject Rules regarding free allowance and rates to be charged for post buildings etc in D'Nagar

In continuation of T.C. no. 10869 D 24/2/40. regarding the above subject, I have the honor to forward herewith a copy of the "draft" G.O proposed to be issued to clear certain doubts raised in the E.E's letter no. 4587 D 7.11.39.

The E.E is requested to report if the draft would

WD 989—GPB—10,000—6.40

Concerns also.

II. The following shall be added at the end of rule 45:-

"Govt. in the case of Govt residential buildings like Police lines, ~~Hos~~ Nurses, guards etc., the free allowance of 4 kls is without restriction to the maximum limit."

III Rule 834 shall be modified as follows:-

"In the case of Govt public buildings and institutions in which Govt officers are held responsible for which are not run on Commercial or business or trade lines, the ~~fr~~ free water consumed shall be charged at annas per 1000 gallons without any free allowance, as the buildings are used solely for public purposes."

By order
Hon
for Secretary to Govt
16/12 Law Dept

To the Compiler Govt Gazette
for publication and supply
of 250 copies each to the Secretariat
Chief Engineer & the Govt Library & 100
copies to the Secretariat.

Memo no 2797-98 Dy 24th Feb 42

Copy of the above is forwarded with compliments to the Govt Library, Asst (2) the Chief Engineer for information

By order
for
Secretary to Govt
16/12 Law Dept

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE.

No L 3594 GK 145-39-25 General and Revenue Secretariat,

Dated Bangalore, 24th February 1942.

NOTIFICATION

In exercise of the powers vested in them under section 328 of the Mysore City Municipalities Act 1933, as amended from time to time Government are pleased to issue the following amendments to the rules regulating the supply of water in Bangalore City issued with Notification No.L.8153/Ml. 105-34-9 dated 25th August 1939:-

The following shall be added as sub-Para to Rule 52.-

"The same rates shall apply to Government Industrial and Commercial Concerns also".

II. The following shall be added at the end of Rule 45:-

"But in the case of Government residential buildings like Police lines, Army quarters etc., the free allowance fixed is without restriction to the maximum limit"

III. Rule 85 shall be modified as follows:-

" In the case of Government public buildings and institutions in which Government Offices are held and which are not run on commercial or business or trade lines, the entire water consumed shall be charged at 8 annas per 1000 gallons without any free allowance, as the buildings are used solely for public purposes".

By Order,

for Secretary to Government,
Law Department.

To

The Compiler, Mysore Gazette, for publication and supply of 50 copies each to the Chief Engineer and the Municipal Commissioner and 100 copies to the Secretariat.

DPS



Appendix F G—1]

SUBJECT

12 Copies

Section M
File No. 145-39
Serial No. 25.

Diary No. of letter replied to

General and Revenue Secretariat

( )

the *19*

Date of issue 26-7-1939

Signed by Mr. G. Ramachandra Rao

No Notification 180-L-7596

To In exercise of the Powers vested in them under section 328 of the Improvement Act 1933, as amended from time to time the Government are pleased to issue the following amendments and to the rules regulating the supply of water for Bangalore City issued with Notification No RD 153 MNL 105-34-9 dt 26-8-1939.

1 The following shall be added as Sub-para to rule 52.

2 The same rates shall apply to Government Industrial & Commercial

List of enclosures

Copied by

Examined by